









# MERITOR® AIR VALVES








# MERITOR AIR VALVES CROSS REFERENCE

MERITOR PART NUMBER	DESCRIPTION	CROSS REFERENCES	COMMENTS	IMAGE
MAV20021	DASH VALVE - PP1 STYLE 35PSI	ABC275796 RKN20021 275796	RELEASE PRESSURE: 35 PSI	
MAV20612	DASH VALVE - MV3 STYLE	ABC5005646 RKN20612 5005646 106981	TRACTOR TRIP PRESSURE: 30 ± 10 PSI  TRAILER TRIP PRESSURE: 35 ± 10 PSI  TRAILER OVERRIDE PRESSURE: 25 ± 5 PSI	
MAV227871	CHECK VALVE - SC3 STYLE 1/2"	ABC5003980 5003980 800372 227871 227866 227788 227717 R955227871N	WORKING PRESSURE: 115 PSI	
MAV228600	STOP LIGHT SWITCH - SL4 STYLE	ABC274746 228600 274746 R955228600N	CLOSING PRESSURE: 4 PSI  RATED VOLTAGE: 12V  RATED CURRENT: 2A	
MAV229635	DASH VALVE - TW1 STYLE	228729 229635 277516 ABC228729 R955229635N	WORKING PRESSURE: 115 PSI  NICKEL PLATED LEVER	
MAV27000	SUSPENSION LEVELLING VALVE - MIDLAND STYLE	ABC27000 KN27000 R955KN27000N	WORKIING PRESSURE: 115 PSI	








# MERITOR AIR VALVES CROSS REFERENCE

MERITOR PART NUMBER	DESCRIPTION	CROSS REFERENCES	COMMENTS	IMAGE
MAV277147	PRESSURE PROTECTION VALVE - PR2 STYLE 65PSI	ABC277147 277147 277226 R955277147N	OPEN PRESSURE: 78 PSI  CLOSE PRESSURE: 65 PSI  PRODUCT TYPE: ADJUSTABLE (BUT NOT RECOMMENDED)	
MAV278614	DC4 DOUBLE CHECK VALVE - DC4 STYLE 3/8"	ABC278614 R955278614N 278614	WORKING PRESSURE: ≤145 PSI  WORKING PRESSURE: 115 PSI  MAXIMUM WORKING PRESSURE: 145 PSI	
MAV278825	SYNCHRONISATION VALVE - SV1 STYLE, 42-28PSI	ABC278825 R955278825N 278825	INLET OPENING PRESSURE: 42 PSI  EXHAUST OPENING PRESSURE: 28PSI	
MAV280758	INVERSION VALVE - TR3 STYLE	ABC280758 R955280758X 280758	40-60 PSI	
MAV280809	DC4 DOUBLE CHECK VALVE - DC4 STYLE 3/8" SUPPLY	ABC280809 R955280809N 280809	WORKING PRESSURE: 115 PSI  MAXIMUM WORKING PRESSURE: 145 PSI	
MAV281946	DASH VALVE - PP5 STYLE	ABC281946 R955281946X 281946	40 PSI	








# MERITOR AIR VALVES CROSS REFERENCE

MERITOR PART NUMBER	DESCRIPTION	CROSS REFERENCES	COMMENTS	IMAGE
MAV287600	DASH VALVE - PP1 STYLE 40PSI 1/4" PORT	ABC287600 R955287600 287600	40 PSI	
MAV288721	DASH VALVE - PP7 STYLE W/BUTTON	ABC287280 R955288721 287280 288721 286706 288239	40 PSI	
MAV5759BA	PRESSURE PROTECTION VALVE - MIDLAND STYLE	ABCN15759BA N15759BA KN31011	70PSI OPEN 60PSI CLOSE NON-ADJUSTABLE	
MAV54241	SUSPENSION LEVELLING VALVE - NEWAY STYLE	ABC54241 9055424 R3013922	WORKING PRESSURE: 116 PSI ALL PORTS: 1/4" NPT	
MAV284358	GOVERNOR VALVE - D2 STYLE - HIGH TEMPERATURE	ABC275707 275707 284358 R955284358N	OPEN PRESSURE: 125PSI CLOSE PRESSURE: 105 PSI	
MAV102626	RELAY VALVE - R12 STYLE	ABC102277 102626 102277 R955102626N	4 PSI CRACK PRESSURE	
MAV287376	SPRING BRAKE VALVE - SR2 STYLE	ABC106835 106835 287376 272912	NO CHECK VALVE IN MOUNTING NIPPLE OPENING PRESSURE - 65PSI	





# MERITOR AIR VALVES CROSS REFERENCE

MERITOR PART NUMBER	DESCRIPTION	CROSS REFERENCES	COMMENTS	IMAGE
MAV106834	SPRING BRAKE VALVE - SR3 STYLE	ABC106834 106834 101113 272914	WITH CHECK VALVE BALL IN MOUNTING NIPPLE OPENING PRESSURE - 65PSI	
MAV229859	QUICK RELEASE VALVE - QR1 STYLE	ABC288251 229859 288251 274997 R955229859N	DIFFERENTIAL PRESSURE - 0 PSI SUPPLY, DELIVERY AND EXHAUST PORTS - 3/8"	
MAV106165	RELAY VALVE - R14H STYLE	ABC106165 103294 106165 R955106165N	WITH MOUNTING BRACKET 4 PSI CRACK PRESSURE	
MAV103081	MODULATING VALVE - R7 STYLE	ABC103081 103081 132144 101234 R955103081N	95 PSI SPRING BRAKE RELEASE PRESSURE	
MAV289714	QUICK RELEASE VALVE - QR1C STYLE	ABC289714 289714 R955289714N	SUPPLY PORT - 1/4" DELIVERY PORTS - 3/8" BALANCE PORT - 1/4"	
MAV800333	QUICK RELEASE VALVE - QRL STYLE	ABC5003395 5003395 800333 065707 R955800333N	DIRECT MOUNT	
MAV286364	SPRING BRAKE VALVE - SR1 STYLE	ABC286364 286364 R955286364N	55 PSI RESERVOIR TRIP PRESSURE 95 PSI SPRING BRAKE HOLD-OFF PRESSURE	

# MERITOR AIR VALVES CROSS REFERENCE

MERITOR PART NUMBER	DESCRIPTION	CROSS REFERENCES	COMMENTS	IMAGE
MAV286171	FOOT VALVE - E6 STYLE	ABC286689 286171 289098 286689 R955286171N	BASIC FOOT VALVE	
MAV288605	TRACTOR PROTECTION VALVE - TP5 STYLE	ABC288605 288605 R955288605N	50 PSI SERVICE LINE OPENING PRESSURE 10 PSI SERVICE LINE SHUT-OFF PRESSURE	
MAV229505	LIMITING QUICK RELEASE VALVE - LQ2 STYLE	ABC229505 229505 R955229505N	SUPPLY AND DELIVERY PORTS - 3/8"	
MAV288221	RELAY VALVE - R8 STYLE	ABC288221 288221	CHASSIS MOUNT 180° ROTATION 3 PSI CRACK PRESSURE	
MAV103009	RELAY VALVE - R12H STYLE	ABC103009 102931 103008 103009 R955103009N	WITH BRACKET 4PSI	
MAV277863	FOOT VALVE - E3 STYLE	ABC277863 277863 278654 R955277863N	BASIC VALVE	
MAV287114	RELAY VALVE - R8P STYLE	ABC107455 107455 287114 R955287114N	PILOT RELAY VALVE	

# MERITOR AIR VALVES CROSS REFERENCE

MERITOR PART NUMBER	DESCRIPTION	CROSS REFERENCES	COMMENTS	IMAGE
MAV279000	TRACTOR PROTECTION VALVE - TP3 STYLE	ABC279000 279000 R955279000N	35+/-5 PSI SERVICE LINE OPENING PRESSURE  25+/-3 PSI SERVICE LINE SHUT-OFF PRESSURE  TRACTOR PROTECTION PORT : 1/4"NPT TRACTOR SERVICE PORT: 3/8"NPT TRAILER SUPPLY PORT : 1/2"NPT TRAILER SERVICE PORT: 1/2"NPT	
MAV284760	FOOT VALVE - E7 STYLE	ABC284760 102016 284760 286771 R955284760N	BASIC VALVE	 
MAV28520	RELAY VALVE - RG2 STYLE	ABCKN28520 KN28520	N/A	



Meritor Heavy Vehicle Systems Australia  
50 Calarco Drive  
Derrimut, VIC 3026  
AUSTRALIA

(03) 8353 6050

[cummins.com](http://cummins.com) | [meritorpartsexpress.com](http://meritorpartsexpress.com)

CFL153 - MERITOR AIR VALVES 0725  
Produced in AUS 07/25  
©2025 Cummins Inc.