


XPRESS IN FOCUS

MeritorPartsXpress eNewsletter

August 2023

Finding the Right U-Bolt Assembly is Easier with Visual Search

Whether you're searching for u-bolts or threaded rods, **MeritorPartsXpress** has you covered. With our Visual Product Tool Selector, only a few clicks stand between you and the right part. From the home page, select Visual Search from the red navigation bar. Next, select either U-Bolts & Threaded Rods-U-Bolt Assembly or U-Bolts & Threaded Rods-U-Bolt Assembly.



To find the appropriate u-bolt assembly or threaded rod, utilize the table filters. The top image contains labeled areas to assist with measurement placement that can be input into the table to find your assembly.

Click on part number to view additional information on transit time.

Show Per Page: 10

Clear Filter 1 2 ... 27 >

Part #	Grade	Length	Thread Size	Type	Width
<input type="checkbox"/> E25200	---	8.00 in.	3/4 in.-16	Round Bend	6.00 in.
<input type="checkbox"/> EUB5121075	5	7.825 in.	1/2 in.-20	Round Bend	3.50 in.
<input type="checkbox"/> EUB516112	5	12.00 in.	7/8 in.-14	Round Bend	3.00 in.

Our Visual Product Tool is available for a number of components, including threaded rods.




Product Search **Visual Search** Xact Search

All Part Number or Keyword Search

Interchange # or VMRS Code Search

Home Product Search Suspension U-Bolts & Threaded Rods Threaded Rod



Click on part number to view additional information on transit time.

Show Per Page 10

Clear Filter 1 2 ... 18

Part #	Grade	Length	Thread Length	Thread Size	Threads per Inch
<input type="checkbox"/> ETR505008	5	8.00 in.	2.25 in.	0.50 in.	20
<input type="checkbox"/> ETR505010	5	10.00 in.	2.25 in.	0.50 in.	20
<input type="checkbox"/> ETR505012	5	12.00 in.	2.25 in.	0.50 in.	20

[Start your search today!](#)

THREADED RODS & U-BOLT ASSEMBLIES

THREADED ROD PART NUMBER DESIGNATION

ROD DIAMETER (DECIMAL)
050 (1/2")
056 (9/16")
062 (5/8")
075 (3/4")
087 (7/8")
100 (1")
112 (1 1/8")
125 (1 1/4")
150 (1 1/2")

Designation for Euclid Threaded Rod

E-TR 8 075 - 42

REFERS TO MATERIAL STRENGTH
5 - Commercial-Strength (120,000 psi Tensile)
8 - High-Strength (150,000 psi Tensile)

Overall Length in Inches

U-BOLT PART NUMBER DESIGNATION

U-BOLT BEND
1 = Round
2 = Square
3 = Semi-Round
4 = Flat Round
5 = Flat Square
6 = Flat Semi-Round

DIAMETER
0 = 3/8"
1 = 1/2"
2 = 5/8"
3 = 3/4"
4 = 7/8"
5 = 1"
6 = 1 1/8"
7 = 1 1/4"
8 = 1 1/2"
9 = 1 3/4"

Designation for Euclid U-Bolt Assemblies

E-UB 8 1 5 3 - 10 4 S

REFERS TO MATERIAL STRENGTH
5 - Commercial-Strength (120,000 psi Tensile)
8 - High-Strength (150,000 psi Tensile)

U-BOLT CATALOG GROUP
(This Figure Represents the Width of a U-Bolt Group. All U-Bolts with the same Bend, Diameter and Width have the same U-Bolt Catalog Group.)

SPECIAL LETTER CODES
S = Special Nuts or Washers
R = Rivet or Semi-Round
F = Ford Semi-Round

LENGTH
Whole Inches | Fraction by 1/8"

THREADED RODS & U-BOLT ASSEMBLIES

U.S. 888-725-4255
Canada 800-387-3849

MeritorPartsXpress.com
700E-CMP (12-19)

29

Did you know?

The part numbers for Euclid u-bolt assemblies and threaded rods are reflective of their physical properties and measurements. In a pinch, this can allow you to obtain your Euclid component's part number – without the use of MeritorPartsXpress.

For more information on suspension components, [download 700E-CMP >>](#)







NEW! – Product Tools Search

Looking for tools to help you install your Cummins-Meritor products? New on MeritorPartsXpress, users can now view an index of supplementary tools to support your installation.



Tools

Cummins-Meritor offers various tools to assist in installation of our portfolio of products.

 <p>Air Disc Brake From minor brake repair kits to PAN tools</p> <p>Search</p>	 <p>Driveline Yoke installation tools</p> <p>Search</p>	 <p>Off Highway Search sockets and face seal installation tools</p> <p>Search</p>	 <p>Suspension Bushing tools and more</p> <p>Search</p>	 <p>Tire Inflation (MTIS) Press plug tools and kits</p> <p>Search</p>	 <p>Wheel End Multiple installation tools and display boards</p> <p>Search</p>
---	--	--	---	--	---

Users can easily access this page from the footer at the bottom of any page on MeritorPartsXpress.

AFTERMARKET CUSTOMER SERVICE

United States
(888) 725-9355

Canada
(800) 387-3889

Site access based on user permissions

TOOLS

[Transmission Search](#)
[Carrier Exchange Program](#)
[Aftermarket Training](#)
[Complete Brake Job](#)
[Product Tools Search](#)

USER TOOLS

[Xpress Ad Creator](#)
[Video Library](#)
[What's New](#)
[Site Benefits](#)

ORDER SUPPORT

[My Orders](#)
[My Notification Alerts](#)
[Invoices](#)
[Returns](#)

SUPPORT

[Literature on Demand](#)
[Mobile Shortcut](#)
[Contact Us](#)
[Fast Facts](#)
[One-Stop Resource](#)

QUICK LINKS

[meritorbulpen.com](#)
[meritorservicepoint.com](#)
[meritorparts-warranty.com](#)
[meritorsavings.com](#)
[meritorcoresonline.com](#)
[shopmeritor.com](#)



MERITORPARTSXPRESS EASY-ACCESS GUIDE

Instant access to the tools you need.

Download Now



Copyright © 2023 All rights reserved.

Our mailing address is:

Cummins-Meritor
7975 Dixie Highway
Florence, Kentucky 41042